




Frequency (Hz)	63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	0,0	8,4	11,5	18,1	28,5	31,8	23,5	18,7




Frequency (Hz)	63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	0,0	6,5	8,7	12,8	22,3	26,7	14,9	13,3




Frequency (Hz)	63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	0,0	5,3	7,8	10,8	20,1	24,8	14,5	14,6




Frequency (Hz)	63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	0,1	3,8	5,7	7,9	17,1	22,2	12,4	9,8



Frequency (Hz)	63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	0,8	2,0	4,2	7,1	16,3	19,3	7,6	6,4




Frequency (Hz)	63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	1,1	1,9	3,7	6,1	15,4	14,0	3,6	6,7



		Frequency (Hz)							
		63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	1m	1,4	1,2	2,5	3,7	11,1	14,9	5,1	4,4




		Frequency (Hz)							
		63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	1m	1,1	1,4	3,0	4,5	12,6	11,5	5,0	3,9




		Frequency (Hz)							
		63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	1m	0,8	1,3	2,9	4,6	12,0	9,6	4,9	3,4

SEMI RIGID SILENCER 90/120 mic. 50mm Ins (Ø80mm)




Frequency (Hz)		63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	1m	0,0	11,3	15,7	23,5	33,8	34,8	22,5	19,8

SEMI RIGID SILENCER 90/120 mic. 50mm Ins (Ø100mm)




Frequency (Hz)		63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	1m	0,0	10,9	16,4	23,9	33,9	25,7	13,8	13,3

SEMI RIGID SILENCER 90/120 mic. 50mm Ins (Ø125mm)




Frequency (Hz)		63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	1m	0,0	7,8	12,3	17,8	28,3	21,7	11,4	13,8

SEMI RIGID SILENCER 90/120 mic. 50mm Ins (Ø160mm)




Frequency (Hz)		63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	1m	0,1	6,0	10,3	14,9	25,2	21,7	11,0	9,4

SEMI RIGID SILENCER 90/120 mic. 50mm Ins (Ø200mm)




Frequency (Hz)		63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	1m	1,9	3,9	8,1	14,1	25,0	16,8	7,6	6,8

SEMI RIGID SILENCER 90/120 mic. 50mm Ins (Ø250mm)




Frequency (Hz)		63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	1m	2,3	4,1	7,3	12,5	23,2	14,1	4,3	7,4

SEMI RIGID SILENCER 90/120 mic. 50mm Ins (Ø315mm)




Frequency (Hz)		63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	1m	2,6	2,9	5,3	9,5	20,5	13,2	4,5	4,6

SEMI RIGID SILENCER 90/120 mic. 50mm Ins (Ø356mm)



Frequency (Hz)		63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	1m	2,4	2,6	5,8	10,4	21,0	14,4	6,6	6,3

SEMI RIGID SILENCER 90/120 mic. 50mm Ins (Ø400mm)



Frequency (Hz)		63	125	250	500	1000	2000	4000	8000
Insertion Loss (dB)	1m	2,0	2,4	6,6	12,3	20,2	11,0	6,6	5,2